

Windows Embedded Compact

Windows Embedded Compact,^[1] formerly **Windows Embedded CE** and **Windows CE**, is an [operating system](#) subfamily developed by [Microsoft](#) as part of its [Windows Embedded](#) family of products.*

Unlike [Windows Embedded Standard](#), which is based on [Windows NT](#), Windows Embedded Compact uses a different [hybrid kernel](#).^[2] Microsoft licenses Windows CE to [original equipment manufacturers](#) (OEMs), who can modify and create their own user interfaces and experiences, with Windows CE providing the technical foundation to do so.

The current version of Windows Embedded Compact supports [x86](#) and [ARM](#) processors with [board support package](#) (BSP) directly.^[3] The [MIPS](#) and [SHx](#) architectures had support prior to version 7.0.

On every version, changing the view options like showing hidden stuff in the Windows folder will lead you a bunch of stuff. Most of them are just images, while those files are a bunch of system files. The "homelogo" file is used in [Internet Explorer Mobile](#), it can be seen on the home page (it probably appears on 6.0 and lower) and on these versions, it has the old CE logo that can be customized on the desktop to make it look like a old version.

Contents [\[show\]](#)

Features

Windows CE is optimized for devices that have minimal memory; a Windows CE kernel may run with one megabyte of [memory](#).^[4] Devices are often configured without [disk storage](#), and may be configured as a "closed" system that does not allow for end-user extension (for instance, it can be burned into [ROM](#)). Windows CE conforms to the definition of a [real-time operating system](#), with a deterministic interrupt latency. From Version 3 and onward, the system supports 256 priority levels^[5] and uses [priority inheritance](#) for dealing with [priority inversion](#). The fundamental unit of execution is the [thread](#). This helps to simplify the interface and improve execution time.

The first version known during development under the [code name](#) "Pegasus"[Template:Snd](#) featured a Windows-like [GUI](#) and a number of Microsoft's popular apps, all trimmed down for smaller storage, memory,

Windows Embedded Compact



| | |
|----------------------|---|
| Developer | Microsoft |
| OS family | Windows |
| Working state | Supported |
| Source model | Closed Source |
| Released | November 16, 1996 as Windows CE 1.0 |
| Final release | 8.0 (Embedded Compact 2013) June 13, 2013 |
| Platforms | x86 |
| Licensing | Commercial proprietary software (volume licensing) |
| Kernel type | Hybrid |
| Website | msdn.microsoft.com/en-ph/embedded/ |

Support status

and speed of the palmtops of the day. Since then, Windows CE has Supported
evolved into a component-based, embedded, real-time operating system.

It is no longer targeted solely at hand-held computers.^[6] Many platforms have been based on the core Windows CE operating system, including Microsoft's [AutoPC](#), [Pocket PC 2000](#), [Pocket PC 2002](#), [Windows Mobile 2003](#), [Windows Mobile 2003 SE](#), [Windows Mobile 5](#), [Windows Mobile 6](#), [Smartphone 2002](#), [Smartphone 2003](#), [Portable Media Center](#), [Zune](#), [Windows Phone](#) and many industrial devices and embedded systems. Windows CE even powered select games for the [Dreamcast](#), was the operating system of the [Gizmondo](#) handheld, and can partially run on modified [Xbox](#) game consoles.

A distinctive feature of Windows CE compared to other Microsoft operating systems is that large parts of it are offered in source code form. First, source code was offered to several vendors, so they could adjust it to their hardware. Then products like Platform Builder (an integrated environment for Windows CE OS image creation and integration, or customized operating system designs based on CE) offered several components in source code form to the general public. However, a number of core components that do not need adaptation to specific hardware environments (other than the CPU family) are still distributed in binary only form.

Windows Embedded Compact Versions

[Windows CE 1.0](#)

[Windows CE 2.0](#)

[Windows CE 3.0](#)

[Windows CE 4.0](#)

[Windows CE 5.0](#)

[Windows Embedded CE 6.0](#)

[Windows Embedded Compact 7](#)

[Windows Embedded Compact 2013](#)

History

Windows Embedded Compact was formerly known as Windows CE. According to Microsoft, "CE" is not an explicit acronym for anything, although it implies a number of notions that Windows developers had in mind, such as "compact", "connectable", "compatible", "companion" and "efficient".^{[7][8]} The name changed once in 2006, with the release of [Windows Embedded CE 6.0](#), and again in 2011, with the release of [Windows Embedded Compact 7](#).

Windows CE was originally announced by Microsoft at the [COMDEX](#) expo in 1996 and was demonstrated on stage by [Bill Gates](#) and John McGill. Microsoft had been testing Pegasus in early 1995 and released a strict reference platform to several hardware partners. The devices had to have the following minimum hardware specifications:

- SH3, MIPS 3000 or MIPS 4000 CPU
- Minimum of 4 MB of ROM
- Minimum of 2 MB of RAM with a back up power source, such as a CR2032 coin cell battery

- Powered by two AA batteries
- Weigh less than 1lbs
- A physical QWERTY keyboard including Ctrl, Alt and Shift keys
- An LCD display of 480×240 pixels with four shades of gray and two bits per pixel with touchscreen that could be operated by either stylus or finger nail
- An Infrared transceiver
- Serial port
- PC Card slot
- Built in speaker

Devices of the time mainly had 480×240 pixel displays with the exception of the Hewlett-Packard 'Palmtop PC' which had a 640×240 display. Each window took over the full display. Navigation was done by tapping or double tapping on an item. A contextual menu was also available by the user pressing the ALT key and tapping on the screen. Windows CE 1.0 did not include a cascading Start menu unlike Windows 95 and Windows NT 4.0 did. Microsoft released the Windows CE 1.0 Power Toys that included a cascading menu icon that appeared in the system tray. Also bundled were several other utilities, most notable were a sound applet for the system tray, enabling the user to quickly mute or unmute their device or adjust the volume and a 'pocket' version of Paint.

The release of Windows CE 2.0 was well received. Microsoft learned its lessons from consumer feedback of Windows CE 1.0 and made many improvements to the operating system. The Start menu was a cascading menu, identical to those found on Windows 95 and Windows NT 4.0. Color screens were also supported and manufacturers raced to release the first color H/PC. The first to market however, was Hewlett Packard with the HP 620LX. Windows CE 2.0 also supported a broader range of CPU architectures. Programs could be also installed directly in the OS by double clicking on CAB files. Due to the nature of the ROMs that contained the operating system, users were not able to flash their devices with the newer operating system. Instead manufacturers released upgrade ROMs that users had to physically install in their devices, after removing the previous version. This would usually wipe the data on the device and present the user with the setup wizard upon first boot.

Development tools

Visual Studio

[Microsoft Visual Studio](#) 2012, 2013, and 2015 support apps and [Platform Builder](#) development for Windows Embedded Compact 2013.^[9]

Microsoft Visual Studio 2008 and earlier support projects for older releases of Windows CE/Windows Mobile, producing executable programs and platform images either as an emulator or attached by cable to an actual mobile device. A mobile device is not necessary to develop a CE program. The [.NET Compact Framework](#) supports a subset of the [.NET Framework](#) with projects in [C#](#), and [Visual Basic .NET](#), but not [Managed C++](#). "Managed" apps employing the .NET Compact Framework also require devices with significantly larger memories (8 MB or more) while unmanaged apps can still run successfully on smaller devices. In Visual Studio 2010, the Windows Phone Developer Tools are used as an extension, allowing Windows Phone 7 apps to be designed and tested within Visual Studio.

Free Pascal and Lazarus

[Free Pascal](#) introduced the Windows CE port in Version 2.2.0, targeting ARM and x86 architectures. Later, the Windows CE header files were translated for use with [Lazarus](#), a [rapid application development](#) (RAD) software package based on Free

Pascal. Windows CE apps are designed and coded in the Lazarus **integrated development environment** (IDE) and compiled with an appropriate **cross compiler**.^[10]

Platform Builder

This **programming tool** is used for building the platform (**BSP + Kernel**), **device drivers** (shared source or custom made) and also the apps. This is a one step environment to get the system up and running. One can also use Platform Builder to export an **SDK** (software development kit) for the target **microprocessor** (**SuperH**, x86, MIPS, ARM etc.) to be used with another associated tool set named below.

Others

The **Embedded Visual C++** (eVC)**Template:Snd** a **tool** for development of embedded apps for Windows CE. It can be used standalone using the **SDK** exported from Platform Builder or using the Platform Builder's Platform Manager connectivity setup.

CodeGear Delphi PrismTemplate:Snd runs in Visual Studio, also supports the .NET Compact Framework and thus can be used to develop **mobile apps**. It employs the **Oxygene** compiler created by **RemObjects Software**, which targets .NET, the .NET Compact Framework, and **Mono**. Its command-line compiler is available free of charge.

Basic4ppcTemplate:Snd a **programming language** similar to **Visual BasicTemplate:Snd** targets the **.NET Compact Framework** and supports Windows CE and Windows Mobile devices.

GLBasicTemplate:Snd a very easy to learn and use BASIC dialect that compiles for many platforms, including Windows CE and Windows Mobile. It can be extended by writing inline C/C++ code.

LabVIEWTemplate:Snd a graphical programming language, supporting many platforms, including Windows CE.

AutoHotkeyTemplate:Snd a port of the open source macro-creation and automation software utility available for Windows CE. It allows the construction of macros and simple **GUI** apps developed by systems analyst Jonathan Maxian Timkang.^[11]

Relationship to Windows Mobile, Pocket PC, and SmartPhone

Template:Wide image Often Windows CE, **Windows Mobile**, and **Pocket PC** are used interchangeably, in part due to their common origin. This practice is not entirely accurate. Windows CE is a modular/componentized operating system that serves as the foundation of several classes of devices. Some of these modules provide subsets of other components' features (e.g. varying levels of windowing support; **DCOM** vs **COM**), others which are separate (**Bitmap** or **TrueType** font support), and others which add additional features to another component. One can buy a kit (the Platform Builder) which contains all these components and the tools with which to develop a custom platform. Apps such as **Excel Mobile** (formerly Pocket Excel) are not part of this kit. The older Handheld PC version of Pocket Word and several other older apps are included as samples, however.

Windows Mobile is best described as a subset of platforms based on a Windows CE underpinning. Currently, Pocket PC (now called Windows Mobile Classic), SmartPhone (Windows Mobile Standard), and Pocket PC Phone Edition (Windows Mobile Professional) are the three main platforms under the Windows Mobile umbrella. Each platform uses different components of Windows CE, plus supplemental features and apps suited for their respective devices.

Pocket PC and Windows Mobile are Microsoft-defined custom platforms for general PDA use, consisting of a Microsoft-defined set of minimum profiles (Professional Edition, Premium Edition) of software and hardware that is supported. The rules for manufacturing a Pocket PC device are stricter than those for producing a custom Windows CE-based platform. The defining characteristics of the Pocket PC are the **touchscreen** as the primary **human interface device** and its extremely portable size.

CE v3.0 is the basis for Pocket PC 2002. A successor to CE v3.0 is CE.net.^[12] "PocketPC [is] a separate layer of code on top of the core Windows CE OS... Pocket PC is based on Windows CE, but it's a different offering." And licensees of Pocket PC are forbidden to modify the WinCE part.^[13]

The SmartPhone platform is a feature-rich OS and interface for cellular phone handsets. SmartPhone offers productivity features to business users, such as email, and multimedia abilities for consumers. The SmartPhone interface relies heavily on joystick navigation and PhonePad input. Devices running SmartPhone do not include a touchscreen interface. SmartPhone devices generally resemble other cellular handset form factors, whereas most Phone Edition devices use a PDA form factor with a larger display.

Releases

| Version | Changes |
|---------|--|
| 1.0 | Released November 16, 1996. ^[14] Codename "Pegasus" and "Alder". ^[15] * Devices named "handheld PC" (H/PC) ^[12] * 4 MB ROM minimum <ul style="list-style-type: none"> 2 MB RAM minimum <p>1.01 version (1.0a)Template:Snd added Japanese language support.</p> <ul style="list-style-type: none"> Unsupported as of December 31, 2001. |
| 2.0 | Released September 29, 1997. ^[16] Codename "Birch". ^[15] * Devices named "Palm-sized PC" ^[12] * Real-time deterministic task scheduling <ul style="list-style-type: none"> Architectures: ARM, MIPS, PowerPC, StrongARM, SuperH and x86 32-bit color screens SSL 2.0 and SSL 3.0 Unsupported as of September 30, 2002 for Windows CE 2.11 and September 30, 2005 for Windows CE 2.12. <p>2.11 version (Palm-Size PC 1.1)Template:Snd changed screen resolution to QVGA, added handwriting recognition.</p> <p>2.11 version (Palm-Size PC 1.2)Template:Snd based on Windows CE H/PC 2.11 kernel, removed Pocket Office.</p> <p>HandeldPC 2.11 version (HandheldPC Professional)Template:Snd added small versions of Microsoft Access, improved MS Office documents formats support.</p> |
| 3.0 | Released June 15, 2000. ^[17] Codename "Cedar" ^[15] and "Galileo". <ul style="list-style-type: none"> Major recode that made CE hard real time down to the microsecond level Base for the Pocket PC 2000, Handheld PC 2000, Pocket PC 2002 and Smartphone 2002^[12] Priority levels were increased from 8 to 256^[12] Object store was increased from 65,536 to 4.19 million allowed objects^[12] Restricted access to critical APIs or restricting write access to parts of the registry^[12] Unsupported as of October 9, 2007. |
| 4.x | Released January 7, 2002. ^[18] Codename "Talisker/Jameson/McKendric". ^[15] * Integrated with .NET Compact Framework * Driver structure changed greatly, new features added |

| | |
|-----|--|
| | <ul style="list-style-type: none"> ▪ Base for "Pocket PC 2003"^[12] ▪ Flash memory and Bluetooth support^{[12][19]} ▪ HID devices and standardized keyboards support ▪ TLS (SSL 3.1), IPsec L2TP VPN, or Kerberos^[12] ▪ Pocket Office was reduced to Wordpad ▪ Separation to two editions Template:Snd Core (only shell) and Professional (with Microsoft Accessories) ▪ In addition to the older PocketIE browser, Internet Explorer Mobile was available with near 100% page compatibility to its IE 5.5 desktop cousin. ▪ With Windows CE.net 4.2, a new shell was provided with Internet Explorer integration ▪ Unsupported as of July 10, 2012 for Windows CE 4.0 and January 8, 2013 for Windows CE 4.1 and July 9, 2013 for Windows CE 4.2. |
| 5.x | <p>Released in August 2004.^[15] Adds many new features. Codename "Macallan"^[15]* Added automatic reporting for manufacturers^[20]* Direct3D Mobile, a COM-based version of Windows XP's DirectX multimedia API^[20]</p> <ul style="list-style-type: none"> ▪ DirectDraw for 2D graphics and DirectShow for camera and video digitisation support^[20] ▪ Remote Desktop Protocol (RDP) support^[21] ▪ In this version Wordpad has been eliminated too ▪ The "Pro" version contains the Internet Explorer browser and Windows Media Player 9 ▪ Support ended on October 14, 2014. |
| 6.0 | <p>Released in September 2006. Codename "Yamazaki".^[15]* Process address space is increased from 32 MB to 2 GB^[22]* Number of processes has been increased from 32 to 32,768^[23]</p> <ul style="list-style-type: none"> ▪ User mode and kernel mode device drivers are possible ▪ 512 MB physically managed memory ▪ Device.exe, filesys.exe, GWES.exe have been moved to Kernel mode ▪ Cellcore ▪ SetKMode and set process permissions no longer possible ▪ Support ended on April 10, 2018. ▪ System call performance improved^[24] |
| 7.0 | <p>Released in March 2011.</p> <ul style="list-style-type: none"> ▪ Multi-core CPU support (SMP) ▪ Wi-Fi Positioning System ▪ Bluetooth 3.0 + HS support ▪ DLNA (Digital Living Network Alliance) ▪ DRM technology ▪ Media Transfer Protocol ▪ Windows Phone 7 IE with Flash 10.1 support ▪ NDIS 6.1 support ▪ UX C++ XAML API using technologies like Windows Presentation Foundation and Silverlight for attractive and functional user interfaces ▪ Modernized graphics based on OpenGL ES 2.0 ▪ Advanced touch and gesture input |

| | |
|------------|---|
| | <ul style="list-style-type: none"> Kernel support for 3 GB physical RAM and supports ARMv7 assembly (has support for "x86, SH (automotive only) and ARM.")^[25] Supported until April 13, 2021. |
| 8.0 (2013) | <ul style="list-style-type: none"> Released in June 2013 DHCPv6 client with stateful/stateless address configuration.^[26] L2TP/IPsec over IPv6 for VPN connectivity.^[26] Snapshot boot.^[26] Improved XAML data binding and Expression Blend support.^[26] OOM Model improvements from 7.^[26] Supported until October 10, 2023. HTML help viewer added.^[26] |

See also

- ActiveSync
- Handheld PC
- Handheld PC Explorer
- List of Windows CE Devices
- Microsoft Kin
- Palm-size PC
- Pocket PC
- Portable Media Center
- Tablet PC
- Windows Phone
- Zune HD
- Dreamcast

References

- ↑ "Windows Embedded Homepage" . Microsoft.com. <http://www.microsoft.com/windows/embedded/default.aspx> . Retrieved 2010-11-14.
- ↑ "How does Windows Embedded CE 6.0 Start?" . *Windows CE Base Team Blog*. Microsoft. 2007-12-18. http://blogs.msdn.com/b/ce_base/archive/2007/11/26/how-does-windows-embedded-ce-6.0-start_3f00_.aspx . Retrieved 2010-11-14.
- ↑ "Board Support Package (Compact 2013)" . MSDN. Microsoft. <http://msdn.microsoft.com/en-us/library/gg156127.aspx> . Retrieved 15 July 2013.
- ↑ "Create or Modify a BSP (Compact 2013)" . Microsoft. <http://msdn.microsoft.com/en-us/library/jj556177.aspx> . Retrieved 11 June 2014.
- ↑ "Priority Levels" . Msdn.microsoft.com. <http://msdn.microsoft.com/en-us/library/bb202761.aspx> . Retrieved 2010-11-14.
- ↑ "Embedded Platform | Integrated Development Environment (IDE) | Windows CE" . Microsoft.com. <http://www.microsoft.com/windowsembedded/en-us/products/windowsce/technical-specifications.aspx> . Retrieved 2010-11-14.
- ↑ "The Meaning of "CE" in Windows CE launch date" . support.microsoft.com. 2015-02-14. <http://support.microsoft.com/kb/166915> . Retrieved 2015-02-14.
- ↑ "Microsoft renames Windows CE, sets CE 6.0 launch date" . windowsfordevices.com. 2006-09-22. Archived from [the original](#) on 4 January 2009. <https://web.archive.org/web/20090104153759/http://www.windowsfordevices.com/news/NS5452934855.html> . Retrieved 2011-07-20.

9. ↑ "What's New (Compact 2013)" . Microsoft. http://msdn.microsoft.com/en-us/library/gg154234.aspx#Anchor_0 . Retrieved 24 January 2016.
10. ↑ WinCE port - Lazarus wiki
11. ↑ Autohotkey build for CE devices
12. ↑ 12.0 12.1 12.2 12.3 12.4 12.5 12.6 12.7 12.8 12.9 Pöhls, Henrich C. (2003-09-05), [henrich poehls.pdf "Risk Analysis of Mobile Devices with Special Concern of **Malware** Contamination"](#) (PDF), *Diploma Thesis (University of Hamburg)*: p. 27, http://www.2000grad.com/papers/dpa_henrich_poehls.pdf, retrieved 2009-10-24
13. ↑ Smith, Tony (2003-04-16). "Why Pocket PC isn't WinCE" . The Register. https://www.theregister.co.uk/2003/04/16/why_pocket_pc_isnt_wince . Retrieved 2009-10-24.
14. ↑ "Microsoft Announces Broad Availability of Handheld PCs With Windows CE" . Microsoft News Center. 1996-11-18. <http://www.microsoft.com/presspass/press/1996/Nov96/wincepr.msp> . Retrieved 2011-06-20.
15. ↑ 15.0 15.1 15.2 15.3 15.4 15.5 15.6 Hall, Mike (2006-09-19). "Windows Embedded Blog: CE 6.0 - why the codename "Yamazaki" ?" . MSDN Blogs. <http://blogs.msdn.com/mikehall/archive/2006/09/19/763146.aspx> . Retrieved 2009-10-24.
16. ↑ "Microsoft Announces Release of Windows CE 2.0" . Microsoft News Center. 1997-09-29. <http://news.microsoft.com/1997/09/29/microsoft-announces-release-of-windows-ce-2-0/> . Retrieved 2015-07-27.
17. ↑ "Microsoft Announces Availability of Windows CE 3.0" . Microsoft News Center. 2000-06-15. <http://news.microsoft.com/2000/06/15/microsoft-announces-availability-of-windows-ce-3-0/> . Retrieved 2011-06-20.
18. ↑ "Microsoft Launches Windows CE .NET" . Microsoft News Center. 2002-01-07. <http://www.microsoft.com/presspass/press/2002/jan02/01-07CENetLaunchPR.msp> . Retrieved 2011-06-20.
19. ↑ Walker, Geoff (2002-01-07). "Windows CE .Net: Microsoft's successor to Windows CE 3.0" . Pen Computing Magazine. <http://www.pencomputing.com/WinCE/dotnet.html> . Retrieved 2009-10-24.
20. ↑ 20.0 20.1 20.2 Smith, Tony (2004-03-29). "MS readies WinCE 5.0 preview" . The Register. https://www.theregister.co.uk/2004/03/29/ms_readies_wince . Retrieved 2009-10-24.
21. ↑ "The History of the PDA" (DOC). [http://seditaville.com/academic/summary/The%20History%20of%20Microsoft%20Mobile%20OS\(Ver%202\).doc](http://seditaville.com/academic/summary/The%20History%20of%20Microsoft%20Mobile%20OS(Ver%202).doc) . 090517 seditaville.com
22. ↑ "Windows Embedded CE 6.0 Advanced Memory Management" . <http://msdn.microsoft.com/en-us/library/bb331824.aspx> . Retrieved 2011-05-25
23. ↑ Leckie, Andrew (2008-03-25). "Introduction to Microsoft embedded technologies - Session 1" (PPT, 10 MB). New Zealand: Embedded .NET User Group. Archived from the original on 2011-07-24. <https://web.archive.org/web/20110724195514/http://www.embedded.net.nz/Presentations%20PPT%20%20PDF/Embedded%20Introduction%20-%20Session%201.ppt> .
24. ↑ Babu, K. Ashok (2006-11-22). "Differences between Windows CE 5.0 and Windows CE 6.0" . Archived from the original on 16 July 2012. <https://web.archive.org/web/20120716194951/http://www.windowsfordevices.com/c/a/Windows-For-Devices-Articles/Differences-between-Windows-CE-50-and-Windows-CE-60/> . Retrieved 2009-10-24.
25. ↑ Veerabahu, Maharajan (2010-12-24). "Comparison between Windows Embedded Compact 7 (WEC7) and Windows CE 6" . e-consystems.com. <http://www.e-consystems.com/WindowsCE6vs7.asp> . Retrieved 2010-12-24. "The new kernel also supports ARMv7, but as a tradeoff, ARMv4 support is dropped by WEC 7"
26. ↑ 26.0 26.1 26.2 26.3 26.4 26.5 "What's New (Compact 2013)" . MSDN. Microsoft. <http://msdn.microsoft.com/en-us/library/gg154234.aspx> . Retrieved 15 July 2013.

External links

- [Windows Embedded Compact 2013 Product Page at Microsoft](#)
- [Benchmarking Real-time Determinism in Microsoft Windows CE](#)

- [A Brief History of Windows CE](#) , by HPC:Factor with screenshots of the various versions
- ["Site hosted by Windows CE"](#) . Archived from [the original](#) on 2005-03-11.
<https://web.archive.org/web/20050311103022/http://www.hpcarchive.info/> . Retrieved 2006-07-23. , Website hosted by Handheld PC. Unfortunately offline now; only this archived version exists
- [Windows XP Embedded on MSDN](#)
- [Mike Hall's Windows Embedded Blog](#)
- [Choosing the correct version of Windows Embedded operating systems](#)
- [Find windows embedded devices](#)

Microsoft Windows family

[Expand]

[Template:Microsoft operating systems](#) [Template:Real-time operating systems](#)

Retrieved from "https://microsoft.fandom.com/wiki/Windows_Embedded_Compact?oldid=22573"

Categories: [Windows CE](#) | [Microsoft Windows](#)

Community content is available under [CC-BY-SA](#) unless otherwise noted.